



Republic of the Philippines
DEPARTMENT OF THE INTERIOR AND LOCAL GOVERNMENT
Regional Office I

Repair / Rehabilitation of the DILG Building Regional Office 1

Contract Identification No.: PR 2016- 10-0344.

SUPPLEMENTAL / BID BULLETIN No. 3

In reference to the agreements reached during the meeting of the Bids and Awards Committee (BAC) of the Department of the Interior and Local Government Regional Office 1 (DILG RO 1) last December 5, 2016 the DILG RO 1 BAC issues this Supplemental / Bid Bulletin to clarify, modify, or amend items in the Bid Documents. This shall form an integral part of the Bid Documents.

ISSUES	AMENDMENTS																																				
Specification of Projects:																																					
a) Powerhouse and GenSet Assembly	<table border="1"><thead><tr><th>DESCRIPTION</th><th>QTY</th><th>UNIT</th></tr></thead><tbody><tr><td>30 kva genset</td><td>1.00</td><td>set</td></tr><tr><td>Misc. electrical fittings and accessories</td><td>1.00</td><td>lot</td></tr><tr><td>Cement</td><td>9.00</td><td>bags</td></tr><tr><td>Sand</td><td>0.50</td><td>cu.m.</td></tr><tr><td>Gravel</td><td>1.00</td><td>cu.m.</td></tr><tr><td>16mm dia RSBar</td><td>110.00</td><td>kgs</td></tr><tr><td>10mm dia. RSBar</td><td>54.00</td><td>kgs</td></tr><tr><td>#16 G.I. Tie Wire</td><td>2.00</td><td>kgs</td></tr><tr><td>1/2" marine plywood</td><td>2.00</td><td>pcs.</td></tr><tr><td>Good Lumber</td><td>20.00</td><td>bd.ft.</td></tr><tr><td>Assorted CWN</td><td>15.00</td><td>kgs</td></tr></tbody></table>	DESCRIPTION	QTY	UNIT	30 kva genset	1.00	set	Misc. electrical fittings and accessories	1.00	lot	Cement	9.00	bags	Sand	0.50	cu.m.	Gravel	1.00	cu.m.	16mm dia RSBar	110.00	kgs	10mm dia. RSBar	54.00	kgs	#16 G.I. Tie Wire	2.00	kgs	1/2" marine plywood	2.00	pcs.	Good Lumber	20.00	bd.ft.	Assorted CWN	15.00	kgs
DESCRIPTION	QTY	UNIT																																			
30 kva genset	1.00	set																																			
Misc. electrical fittings and accessories	1.00	lot																																			
Cement	9.00	bags																																			
Sand	0.50	cu.m.																																			
Gravel	1.00	cu.m.																																			
16mm dia RSBar	110.00	kgs																																			
10mm dia. RSBar	54.00	kgs																																			
#16 G.I. Tie Wire	2.00	kgs																																			
1/2" marine plywood	2.00	pcs.																																			
Good Lumber	20.00	bd.ft.																																			
Assorted CWN	15.00	kgs																																			
b) Electrical Works	<table border="1"><thead><tr><th>DESCRIPTION</th><th>QTY</th><th>UNIT</th></tr></thead><tbody><tr><td>CONVENIENCE OUTLET (DUPLEX UNIVERSAL)</td><td>40.00</td><td>SETS</td></tr><tr><td>SWITCH PLATE, 1-GANG</td><td>8.00</td><td>SETS</td></tr><tr><td>SWITCH PLATE, 2-GANG</td><td>23.00</td><td>SETS</td></tr></tbody></table>	DESCRIPTION	QTY	UNIT	CONVENIENCE OUTLET (DUPLEX UNIVERSAL)	40.00	SETS	SWITCH PLATE, 1-GANG	8.00	SETS	SWITCH PLATE, 2-GANG	23.00	SETS																								
DESCRIPTION	QTY	UNIT																																			
CONVENIENCE OUTLET (DUPLEX UNIVERSAL)	40.00	SETS																																			
SWITCH PLATE, 1-GANG	8.00	SETS																																			
SWITCH PLATE, 2-GANG	23.00	SETS																																			

"Matino, Mahusay at Maaasahan"

City of San Fernando, La Union

Telephone Number (072) 888 2108 • 607 4468 • 888 2289 • 607 4469 • 607 1245

www.dilgregion1.com



Republic of the Philippines
DEPARTMENT OF THE INTERIOR AND LOCAL GOVERNMENT
 Regional Office I

c) Installation of CCTVs	2.0 mm.sq. THW COPPER CONDUCTOR	3.00	ROLLS									
	3.5 mm.sq. THW COPPER CONDUCTOR	3.00	ROLLS									
	ELECTRICAL TAPE, LARGE	14.00	PCS									
	MISCELLANEOUS ELECTRICAL ACCESSORIES	1.00	LOT									
	2-14 WATTS, FLUORESCENT LAMP, LOUVER TYPE	112.00	SETS									
	PIN LIGHTS	150.00	Pcs.									
	SWITCH PLATE, 3-GANG	19.00	SETS									
	CABINET-TYPE AIRCONDITIONING UNIT (5.0 HP)	8.00	UNIT									
	SPLIT-TYPE AIRCONDITIONING UNIT (2.5 HP)	6.00	UNIT									
	WINDOW-TYPE AIRCONDITIONING UNIT (2HP)	3.00	UNIT									
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 70%;">DESCRIPTION</th> <th style="width: 10%;">QTY</th> <th style="width: 20%;">UNIT</th> </tr> </thead> <tbody> <tr> <td>SCF118-W3193P IP Bullet Camera ONVIF White POE 1/3" 1.3Megapixel progressive scan CMOS H.264&MJPEG dual-stream encoding 25/30fps@1.3M(1280×960)&25/30fps@720P(1280×720) DWDR, Day/Night(ICR), 3DNR,AWB,AGC,BLC 3.6mm fixed lens,Max. IR LEDs Length 30m IP66,POE Dimension : 160mm×65mm×65mm</td> <td style="text-align: center; vertical-align: top;">1.00</td> <td style="text-align: center; vertical-align: top;">unit</td> </tr> <tr> <td>BST528-W3193P IP Dome Camera ONVIF White POE 1/3" 1.3Megapixel progressive scan CMOS H.264&MJPEG dual-stream encoding 25/30fps@1.3M(1280×960)&25/30fps@720P(1280×720) DWDR, Day/Night(ICR), 3DNR,AWB,AGC,BLC 3.6mmMegapixel lens,Max. IR LEDs Length 30m IP66,POE Dimension : 110mm×110mm×80mm</td> <td style="text-align: center; vertical-align: top;">7.00</td> <td style="text-align: center; vertical-align: top;">unit</td> </tr> </tbody> </table>				DESCRIPTION	QTY	UNIT	SCF118-W3193P IP Bullet Camera ONVIF White POE 1/3" 1.3Megapixel progressive scan CMOS H.264&MJPEG dual-stream encoding 25/30fps@1.3M(1280×960)&25/30fps@720P(1280×720) DWDR, Day/Night(ICR), 3DNR,AWB,AGC,BLC 3.6mm fixed lens,Max. IR LEDs Length 30m IP66,POE Dimension : 160mm×65mm×65mm	1.00	unit	BST528-W3193P IP Dome Camera ONVIF White POE 1/3" 1.3Megapixel progressive scan CMOS H.264&MJPEG dual-stream encoding 25/30fps@1.3M(1280×960)&25/30fps@720P(1280×720) DWDR, Day/Night(ICR), 3DNR,AWB,AGC,BLC 3.6mmMegapixel lens,Max. IR LEDs Length 30m IP66,POE Dimension : 110mm×110mm×80mm	7.00
DESCRIPTION	QTY	UNIT										
SCF118-W3193P IP Bullet Camera ONVIF White POE 1/3" 1.3Megapixel progressive scan CMOS H.264&MJPEG dual-stream encoding 25/30fps@1.3M(1280×960)&25/30fps@720P(1280×720) DWDR, Day/Night(ICR), 3DNR,AWB,AGC,BLC 3.6mm fixed lens,Max. IR LEDs Length 30m IP66,POE Dimension : 160mm×65mm×65mm	1.00	unit										
BST528-W3193P IP Dome Camera ONVIF White POE 1/3" 1.3Megapixel progressive scan CMOS H.264&MJPEG dual-stream encoding 25/30fps@1.3M(1280×960)&25/30fps@720P(1280×720) DWDR, Day/Night(ICR), 3DNR,AWB,AGC,BLC 3.6mmMegapixel lens,Max. IR LEDs Length 30m IP66,POE Dimension : 110mm×110mm×80mm	7.00	unit										

"Matino, Mahusay at Maaasahan"

City of San Fernando, La Union

Telephone Number (072) 888 2108 • 607 4468 • 888 2289 • 607 4469 • 607 1245

www.dilgregion1.com



Republic of the Philippines

DEPARTMENT OF THE INTERIOR AND LOCAL GOVERNMENT

Regional Office I

	SCF-DR-NVR8008T Cloud Series - 8channel 1U standalone network video recordergressive scan CMOS, 8 channel @ 1080p realtime recording. Dual-core CPU presents the powerful preview, recording, playback and network performance. Support remote network camera encoding setting and image adjust.H.264/ MPEG-4 dual code decoding. Support SATA HDDs up to 4TB, 2 USB 2.0 built-in web server, CMS, WEB, MYEYE	1.00	unit
	LED Monitor 24'	1.00	unit
	HD Seagate Surveillance 2TB	1.00	pcs
	HDMI Cable 2 mtrs	1.00	pcs
	RJ 45 Connector	16.00	pcs
	POE Switch 24 Ports	1.00	unit
	Patch CORD 2meters	1.00	pcs
	UNIVERSAL Bracket	1.00	pcs
	Misc. wiring, molding and fitting materials	1.00	lot
d) Roofing Works	DESCRIPTION		
	A. ROOFING		
	0.6mm x 1040mm Durarib Pre-painted	875.00	lm
	0.6mm x 610mm x 2.44mm Ridge Roll	45.00	pcs
	0.6mm x 915mm x 2.44mm Spanish Gutter	134.00	pcs
	0.6mm x 1220mm x 2.44mm Wall Capping	10.00	pcs
	0.6mm x 915mm x 2.44mm Wall Capping	4.00	pcs
	12 x 44 TekscREW	5423.00	pcs
	5/32 x 1/2 Blind Rivets	2460.00	pcs
	Silicon Sealant	28.00	pcs
	0.50mm X 963mm DuraCurve Pre-painted	21.00	lms
	B. CEILING		
	0.40mm x 152mm DuraSpandrel Pre-painted	900.00	lm
	0.40mm x 305mm x 2.44mm Facia Cover	82.00	pcs
	0.40mm x 152mm x 2.44mm Wall Angle	82.00	pcs
	5/32 x 1/2 Blind Rivets	3000.00	pcs
	Freight Charge	1.00	lot
	Roofing Specs: Hot-dip Zinc-Coated Steel Coils, Hot-dip 55% Aluminum- Zinc Coated Steel Coils, Silicone Modified Polyester (SMP), Topcoat: 12- 20 microns; Backcoat: 4-8 microns		

"Matino, Mahusay at Maaasahan"

City of San Fernando, La Union

Telephone Number (072) 888 2108 • 607 4468 • 888 2289 • 607 4469 • 607 1245

www.dilgregion1.com



Republic of the Philippines
DEPARTMENT OF THE INTERIOR AND LOCAL GOVERNMENT
 Regional Office I

e) Modular Cabinet	DESCRIPTION	QTY	UNIT
	FAD Chief		
	Half Glass w/o Wire Trunking (1130mm x 1500mm)	3.00	set
	Half Glass w/o Wire Trunking (1165mm x 1500mm)	2.00	set
	Wall Bracket	6.00	pcs
	4 Way Pole (2400mm)	2.00	pcs
	Personnel Section		
	Half Glass w/o Wire Trunking (1040mm x 1500mm)	2.00	set
	Half Glass w/o Wire Trunking (1100mm x 1500mm)	1.00	set
	Half Glass w/o Wire Trunking (1090mm x 1500mm)	2.00	set
	Wall Bracket	6.00	pcs
	2 Way Pole (1500mm)	1.00	pcs
	4 Way Pole (2400mm)	2.00	pcs
	Supplies, Budget and Records Section		
	Half Glass w/o Wire Trunking (1180mm x 1500mm)	2.00	set
	Half Glass w/o Wire Trunking (1100mm x 1500mm)	4.00	set
	Half Glass w/o Wire Trunking (1155mm x 1500mm)	8.00	set
	Half Glass w/o Wire Trunking (1370mm x 1500mm)	2.00	set
	Half Glass w/o Wire Trunking (1600mm x 1500mm)	2.00	set
	Wall Bracket	18.00	pcs
	2 Way Pole (1500mm)	5.00	pcs
	4 Way Pole (2400mm)	6.00	pcs
	Accounting Section		
	Half Glass w/o Wire Trunking (1210mm x 1500mm)	2.00	set
	Half Glass w/o Wire Trunking (1160mm x 1500mm)	2.00	set

"Matino, Mahusay at Maaasahan"

City of San Fernando, La Union

Telephone Number (072) 888 2108 • 607 4468 • 888 2289 • 607 4469 • 607 1245

www.dilgregion1.com



Republic of the Philippines
DEPARTMENT OF THE INTERIOR AND LOCAL GOVERNMENT
 Regional Office I

Half Glass w/o Wire Trunking (1310mm x 1500mm)	4.00	set
Half Glass w/o Wire Trunking (1740mm x 1500mm)	3.00	set
Half Glass w/o Wire Trunking (1720mm x 1500mm)	2.00	set
Half Glass w/o Wire Trunking (1105mm x 1500mm)	2.00	set
Half Glass w/o Wire Trunking (1250mm x 1500mm)	4.00	set
Wall Bracket	30.00	pcs
2 Way Pole (1500mm)	5.00	pcs
4 Way Pole (2400mm)	9.00	pcs
H-I-J Section		
Half Glass w/o Wire Trunking (1445mm x 1500mm)	12.00	set
Half Glass w/o Wire Trunking (1560mm x 1500mm)	8.00	set
Half Glass w/o Wire Trunking (1570mm x 1500mm)	4.00	set
Wall Bracket	24.00	pcs
2 Way Pole (1500mm)	8.00	pcs
4 Way Pole (2400mm)	12.00	pcs
LGMED Division		
Half Glass w/o Wire Trunking (1660mm x 1500mm)	10.00	set
Half Glass w/o Wire Trunking (510mm x 1500mm)	9.00	set
Half Glass w/o Wire Trunking (1570mm x 1500mm)	10.00	set
Half Glass w/o Wire Trunking (260mm x 1500mm)	2.00	set
Half Glass w/o Wire Trunking (1720mm x 1500mm)	3.00	set
Half Glass w/o Wire Trunking (1500mm x 1500mm)	3.00	set
Wall Bracket	36.00	pcs
2 Way Pole (1500mm)	10.00	pcs

"Matino, Mahusay at Maaasahan"

City of San Fernando, La Union

Telephone Number (072) 888 2108 • 607 4468 • 888 2289 • 607 4469 • 607 1245

www.dilgregion1.com